



Bulk Metal[®] Foil Technology Single-In-Line Hermetic Resistor Networks

Vishay Precision Hermetic Resistor Networks are available in ceramic SIP (Single-In-Line Package) configurations. Four models, with 6 -11 pins, are available. Select a SIP for a small footprint.

Review data sheet "7 Technical Reasons to specify Bulk Metal[®] Foil Resistor Networks."



Product may not be to scale



ORDERING INFORMATION - 1460 SERIES PARTS

Networks are built to your requirements. Send your schematic and electrical requirements to the Applications Engineering Department. (See data sheet "Network Worksheet.") A unique part number will be assigned which defines all aspects of your network.

THROUGH HOLE

TABLE 1 - PACKAGE TYPES AND CHARACTERISTICS

VISHAY MODEL NUMBER	NUMBER OF LEADS	CHIP CAPACITY (V15X5)	MAXIMUM DIMENSIONS			LEAD LENGTH (MINIMUM)	LEAD SPACING	MAXIMUM POWER RATING (WATTS) @ +70°C
			L	H	W			
1461	6	3	0.590 x 0.300 x 0.100 (14.985) x 7.620 x 2.540			0.150 (3.810)	0.100 (2.540)	0.3 Watt
1463	7	10	0.785 x 0.360 x 0.130 (19.939 x 9.144 x 3.302)			0.125 (3.175)	0.100 (2.540)	1.2 Watt
1464	8	12	0.810 x 0.360 x 0.130 (20.574 x 9.144 x 3.302)			0.125 (3.175)	0.100 (2.540)	1.4 Watt
1466	11	5	0.900 x 0.250 x 0.130 (22.860 x 6.350 x 3.302)			0.400 (10.160)	0.050 (1.270)	0.5 Watt

NOTES:

1. These networks utilize Vishay Bulk Metal[®] Foil resistor chips V5X5 and V15X5 or VTF15X5 Thin Film chips.
2. The V5X5 and V15X5 chips have maximum resistance values of 10K and 33K respectively in Bulk Metal[®] Foil and 500K in VTF15X5 Thin Film chips.
3. The V5X5 and V15X5 chip(s) can be intermixed in a package.



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.