

CentralTM Semiconductor Corp.

145 Adams Ave., Hauppauge, NY 11788 USA
Phone (631) 435-1110 FAX (631) 435-1824

Manufacturers of World Class Discrete Semiconductors

www.centrasemi.com

CS55BZ
CS55DZ

SILICON CONTROLLED RECTIFIER
0.8 AMPS, 200 AND 400 VOLTS

TO-92 CASE

DESCRIPTION

The CENTRAL SEMICONDUCTOR CS55BZ series type are epoxy molded silicon controlled rectifiers designed for applications requiring extremely low gate sensitivity.

MAXIMUM RATINGS (T_A=25°C unless otherwise noted)


	SYMBOL	CS55BZ	CS55DZ	UNITS
Peak Repetitive Off-State Voltage	V _{DRM} , V _{RRM}	200	400	V
RMS On-State Current (T _C =60°C)	I _{T(RMS)}	0.8		A
Peak One Cycle Surge (t=10ms)	I _{TSM}	10		A
I ² t Value for Fusing (t=10ms)	I ² t	0.24		A ² s
Peak Gate Power (tp=10μs)	P _{GM}	2.0		W
Average Gate Power Dissipation	P _{G(AV)}	0.1		W
Peak Gate Current (tp=10μs)	I _{GM}	1.0		A
Peak Gate Voltage (tp=10μs)	V _{GM}	8.0		V
Storage Temperature	T _{stg}	-40 to +125		°C
Junction Temperature	T _J	-40 to +125		°C
Thermal Resistance	θ _{JA}	200		°C/W
Thermal Resistance	θ _{JC}	100		°C/W

ELECTRICAL CHARACTERISTICS (T_A=25°C unless otherwise noted)


SYMBOL	TEST CONDITIONS	MIN	TYP	MAX	UNITS
I _{DRM} , I _{RRM}	Rated V _{DRM} , V _{RRM} , R _{GK} =1KΩ			1.00	μA
I _{DRM} , I _{RRM}	Rated V _{DRM} , V _{RRM} , R _{GK} =1KΩ, T _C =125°C		100		μA
I _{GT}	V _D =12V			20	μA
I _H	R _{GK} =1KΩ			5.00	mA
V _{GT}	V _D =12V			0.8	V
V _{TM}	I _{TM} =1.0A			1.70	V
dv/dt	V _D =.67 x V _{DRM} , R _{GK} =1KΩ, T _C =125°C	25			V/μs

(SEE REVERSE SIDE)


RMS ON-STATE CURRENT vs. CASE TEMPERATURE



MAXIMUM ON-STATE CHARACTERISTICS



TO-92 PACKAGE - MECHANICAL OUTLINE



SYMBOL	INCHES		MILLIMETERS	
	MIN	MAX	MIN	MAX
A (DIA)	0.175	0.205	4.45	5.21
B	0.170	0.210	4.32	5.33
C	0.500	-	12.70	-
D	0.016	0.022	0.41	0.56
E	0.100		2.54	
F	0.050		1.27	
G	0.125	0.165	3.18	4.19
H	0.080	0.105	2.03	2.67
I	0.015		0.38	

TO-92 (REV: R1)

Lead Code: 1) Anode
2) Gate
3) Cathode

R1

CentralTM
Semiconductor Corp.

145 Adams Ave., Hauppauge, NY 11788 USA
Phone (631) 435-1110 FAX (631) 435-1824

Manufacturers of World Class Discrete Semiconductors

www.centrasemi.com



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.