


A guide to global code (Screw mount terminal type)

(Example : KMH series, 400V-3,300 μ F, ϕ 63.5 \times 120L, Without mounting clamp)

Refer to the following table about global code for screw mount terminal type



①Category

Type	Code
Polar	E

②Series code

Series name	Code		
	2th	3th	4th
SME	S	M	E
No series name	C	S	T

③Voltage code

Voltage (V)	Code		
	5th	6th	7th
10	1	0	0
16	1	6	0
25	2	5	0
35	3	5	0
50	5	0	0
63	6	3	0
80	8	0	0
100	1	0	1
160	1	6	1
200	2	0	1
250	2	5	1
315	3	B	1
350	3	5	1
400	4	0	1
450	4	5	1
500	5	0	1
525	5	C	1
550	5	5	1

④Terminal code

Type	Code	
	8th	9th
Screw terminal	L	G

⑤Mounting clamp code

Type	Code
	10th
	B
	C
Without clamp	N

⑥Capacitance code

Cap. (μ F)	Code		
	11th	12th	13th
100	1	0	1
220	2	2	1
330	3	3	1
470	4	7	1
680	6	8	1
1,000	1	0	2
2,200	2	2	2
3,300	3	3	2
4,700	4	7	2
6,800	6	8	2
10,000	1	0	3
22,000	2	2	3
33,000	3	3	3
47,000	4	7	3
68,000	6	8	3
100,000	1	0	4
220,000	2	2	4
330,000	3	3	4
470,000	4	7	4
680,000	6	8	4

⑦Capacitance tolerance

Tol. (%)	Code
	14th
\pm 20	M

⑧Size code

ϕ D	Code
	15th
35	A
50	C
63.5	D
76	E
89	F
100	G

L	Code	
	16th	17th
50	5	0
60	6	0
75	7	5
80	8	0
85	8	5
96	9	6
100	A	0
105	A	5
115	B	5
120	C	0
125	C	5
130	D	0
140	E	0
145	E	5
155	F	5
170	H	0
190	K	0
220	N	0
250	R	0
270	T	0

⑨Supplement code

Sleeve material	Code
	18th
Pb-free PVC	M
Polyolefin	S
PVC	N

* Refer to the appendix (Global code) for codes does not listed.