

# SILICON HYPERABRUPT TUNING VARACTOR DIODE

**DESCRIPTION:**


The **ASI DKV6522** is an Ion Implanted Silicon Hyperabrupt Tuning Varactor Designed for Octave Tuning up to 500 MHz.

**FEATURES INCLUDE:**

- $C_{T4}$  = 50 pF Nominal
- Hermetic Glass Package

**MAXIMUM RATINGS**

<b>I</b>	50 mA
<b>V</b>	8.0 V
<b>P<sub>DISS</sub></b>	250 mW @ $T_C = 25\text{ }^\circ\text{C}$
<b>T<sub>J</sub></b>	-55 °C to +125 °C
<b>T<sub>STG</sub></b>	-55 °C to +175 °C


**CHARACTERISTICS**  $T_C = 25\text{ }^\circ\text{C}$ 

SYMBOL	TEST CONDITIONS	MINIMUM	TYPICAL	MAXIMUM	UNITS
<b>V<sub>B</sub></b>	$I_R = 10\text{ }\mu\text{A}$	8.0			<b>V</b>
<b>I<sub>R</sub></b>	$V_R = 6.0\text{ V}$			250	<b>nA</b>
<b>C<sub>T</sub></b>	$V_R = 2.5\text{ V}$	6.2		7.2	<b>pF</b>
	$V_R = 4.0\text{ V}$	45		55	
<b>Q</b>	$V_R = 4.0\text{ V}$	100			
<b>T<sub>sold</sub></b>	$t = 5.0\text{ SEC.}$			+230	<b>°C</b>

This datasheet has been downloaded from:

[www.DatasheetCatalog.com](http://www.DatasheetCatalog.com)

Datasheets for electronic components.



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

[LittleDiode.com](http://LittleDiode.com)

Looking forward to providing you with the best possible service.