

NPN SILICON HIGH FREQUENCY TRANSISTOR

DESCRIPTION:

The **2SC1252** is a High Frequency Transistor, Designed for Wide Band Amplifier Applications up to 500 MHz.

FEATURES INCLUDE:

- High Gain **-17 dB Typ.** @ 200 MHz
- Low **NF - 3.0 dB Typ.** @ 200 MHz
- Hermetic **TO-39** Package

MAXIMUM RATINGS

I_C	400 mA
V_{CB}	45 V
V_{CE}	25 V
P_{DISS}	5 W @ $T_C = 25^\circ C$
T_J	-65 to +200 °C
T_{STG}	-65 to +200 °C
θ_{JC}	35 °C/W

PACKAGE STYLE TO-39				
SYMBOL	DIMENSIONS			
	INCHES		MILLIMETERS	
	MIN.	MAX.	MIN.	MAX.
ϕa	0.190	0.210	4.83	5.33
A	0.240	0.260	6.10	6.60
ϕb	0.016	0.021	0.406	0.533
ϕb_2	0.016	0.019	0.406	0.483
ϕD	0.350	0.370	8.89	9.40
ϕD_1	0.315	0.335	8.00	8.51
h	0.009	0.125	0.229	3.18
j	0.028	0.034	0.711	0.864
k	0.029	0.040	0.737	1.02
l	0.500		12.70	
l_1		0.050		1.27
l_2	0.250		6.35	
P	0.100		2.54	
Q				
a	45° NOMINAL			
β	90° NOMINAL			

1 = Emitter 2 = Base
3 & 4 = Collector (Case)

CHARACTERISTICS $T_C = 25^\circ C$

SYMBOL	TEST CONDITIONS			MINIMUM	TYPICAL	MAXIMUM	UNITS
BV_{CEO}	$I_C = 5.0 \text{ mA}$			25			V
BV_{CBO}	$I_C = 100 \mu A$			45			V
I_{CBO}	$V_{CE} = 30 \text{ V}$					100	nA
I_{EBO}	$V_{EB} = 2.0 \text{ V}$					500	nA
h_{FE}	$V_{CE} = 10 \text{ V}$	$I_C = 50 \text{ mA}$		20		200	---
f_t	$V_{CE} = 15 \text{ V}$	$I_C = 15 \text{ mA}$	$f = 200 \text{ MHz}$	1200			MHz
	$V_{CE} = 15 \text{ V}$	$I_C = 70 \text{ mA}$		1400			
C_{OB}	$V_{CB} = 15 \text{ V}$	$f = 1.0 \text{ MHz}$				3.0	pF
G_{PE}	$V_{CE} = 15 \text{ V}$	$I_C = 50 \text{ mA}$	$f = 200 \text{ MHz}$	15	17		dB
NF	$V_{CE} = 15 \text{ V}$	$I_C = 30 \text{ mA}$	$f = 200 \text{ MHz}$		3.0	4.0	dB

This datasheet has been downloaded from:

www.DatasheetCatalog.com

Datasheets for electronic components.



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.