


High-Voltage Small-Signal Switching Diode


SOD-323


Mechanical Data

Case: SOD-323 Plastic Package

Weight: approx. 0.004g

Marking Code: B6

Packaging Codes/Options:

D5/10K per 13" reel (8mm tape), 30K/box

D6/3K per 7" reel (8mm tape), 30K/box

Features

- Silicon Epitaxial Planar Diode
- Fast switching diode, especially suited for applications requiring high voltage capability

Maximum Ratings and Thermal Characteristics

 $T_A = 25^\circ\text{C}$ unless otherwise noted

Parameter	Symbol	Value	Unit
Continuous Reverse Voltage	V_R	240	V
Peak Repetitive Reverse Voltage	V_{RRM}	300	V
Peak Repetitive Reverse Current	I_{RRM}	200	mA
Forward Current (continuous)	I_F	225	mA
Peak Repetitive Forward Current	I_{FRM}	625	mA
Non-Repetitive Peak Forward Current at $t_p = 1\mu\text{s}$ at $t_p = 1\text{s}$	I_{FSM}	4.0 1.0	A
Power Dissipation	P_{tot}	200 ⁽¹⁾	mW
Typical Thermal Resistance Junction to Ambient Air	$R_{\theta JA}$	650 ⁽¹⁾	$^\circ\text{C}/\text{W}$
Junction Temperature	T_j	150	$^\circ\text{C}$
Storage Temperature Range	T_S	-65 to +150	$^\circ\text{C}$

Note: (1) Device on Fiberglass Substrate, see layout on second page

Electrical Characteristics

 $T_J = 25^\circ\text{C}$ unless otherwise noted

Parameter	Symbol	Test Condition	Min	Typ	Max	Unit
Reverse Breakdown Voltage	V_{BR}	$I_R = 100\mu\text{A}$	300	—	—	V
Leakage Current	I_R	$V_R = 240\text{V}$ $V_R = 240\text{V}, T_J = 150^\circ\text{C}$	— —	— —	100 100	nA μA
Forward Voltage	V_F	$I_F = 20\text{mA}$ $I_F = 100\text{mA}$	— —	0.83 —	0.87 1.00	V
Capacitance	C_{tot}	$V_F = V_R = 0$ $f = 1\text{MHz}$	—	—	5.0	pF
Reverse Recovery Time	t_{rr}	$I_F = I_A = 30\text{mA}$ $I_{rr} = 3.0\text{mA}, R_L = 100\Omega$	—	—	50	ns

Note:

(1)Device on fiberglass substrate, see layout



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.