



## Rectangular LEDs (2x5)

	Line No.	Part No.	Lens	Luminous Intensity at 10mA		Viewing Angle 2θ½	Forward Voltage at 20mA		Peak Wave Length at 20mA	Drawing
				Minimum	Maximum		Typical	Maximum		
● RED	6	E222	Diffused	0.5mcd	2.0mcd	110°	2.0V	2.5V	700nm	C
● RED	7	E226	Diffused	40.0mcd	80.0mcd	110°	1.85V	2.5V	660nm	C
● ORANGE	8	E236	Diffused	3.2mcd	12.5mcd	110°	2.0V	2.6V	610nm	C
● YELLOW	9	E224	Diffused	2.0mcd	8.0mcd	110°	2.1V	2.5V	590nm	C
● GREEN	10	E225	Diffused	2.0mcd	8.0mcd	110°	2.2V	2.5V	565nm	C




## Rectangular Bi-Color LED (Three Leads)

	Line No.	Part No.	Lens	Luminous Intensity at 20mA		Viewing Angle 2θ½	Forward Voltage at 20mA		Peak Wave Length at 20mA	Leads	Drawing
				Minimum	Maximum		Typical	Maximum			
● RED & GREEN	1	E214	White Diffused	30mcd	70mcd	110°	1.85V	2.5V	660nm	1. Red Anode	A
				8mcd	20mcd	110°	2.2V	2.5V	565nm	2. Cathode	
										3. Green Anode	




## Super Bright Rectangular LEDs (2x5)

	Line No.	Part No.	Lens	Luminous Intensity at 20mA		Viewing Angle 2θ½	Forward Voltage at 20mA		Peak Wave Length at 20mA	Drawing
				Minimum	Typical		Typical	Maximum		
● RED	1	E233	White Diffused	40.0mcd	80.0mcd	110°	1.85V	2.5V	660nm	A
● YELLOW	2	E234	White Diffused	7.0mcd	10.0mcd	110°	2.1V	2.5V	590nm	A
● GREEN	3	E235	White Diffused	8.0mcd	16.0mcd	110°	2.2V	2.5V	565nm	A



## Large Rectangular LEDs (2.3x7)

	Line No.	Part No.	Lens	Luminous Intensity at 10mA		Viewing Angle 2θ½	Forward Voltage at 20mA		Peak Wave Length at 20mA	Drawing
				Minimum	Typical		Typical	Maximum		
● RED	4	E227	Diffused	0.8mcd	1.25mcd	110°	2.0V	2.5V	700nm	B
● RED	5	E230	Diffused	32.0mcd	80.0mcd	110°	1.85V	2.5V	660nm	B
● YELLOW	6	E228	Diffused	1.25mcd	8.0mcd	110°	2.1V	2.5V	590nm	B
● GREEN	7	E229	Diffused	1.25mcd	8.0mcd	110°	2.2V	2.5V	565nm	B



## Rectangular Bi-Color LEDs (Two Leads)

	Line No.	Part No.	Lens	Luminous Intensity at 20mA		Viewing Angle 2θ½	Forward Voltage at 20mA		Peak Wave Length at 20mA	Drawing
				Minimum	Maximum		Typical	Maximum		
● RED & GREEN	8	E215	White Diffused	5mcd	20.0mcd	110°	2.0V	2.5V	625nm	C
● GREEN				5mcd	12.5mcd	110°	2.2V	2.5V	565nm	
● RED & YELLOW	9	E216	White Diffused	5mcd	12.5mcd	110°	2.0V	2.5V	625nm	C
● YELLOW				5mcd	12.5mcd	110°	2.1V	2.5V	590nm	
● GREEN & YELLOW	10	E217	White Diffused	5mcd	12.5mcd	110°	2.2V	2.5V	565nm	C
● YELLOW				5mcd	12.5mcd	110°	2.1V	2.5V	590nm	



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

[LittleDiode.com](http://LittleDiode.com)

Looking forward to providing you with the best possible service.