

STI TYPE	Polarity	Power Dissipation @ 25°C MW	T _J (°C)	V _{CB0} (volts)	V _{CE0} (volts)	h _{FE} @ I _C			V _{CE} (SAT.) @ I _C		h _{FE}	f _T (MHz)	CASE STYLE
						(Min.)	(Max.)	(mA)	(volts)	(mA)			
2N3502	PNP	700	200	45	45	115	300	50	.25	50	135	200	TO-5
2N3503	PNP	700	200	60	60	115	300	50	.25	50	135	200	TO-5
2N3504	PNP	400	200	45	45	115	300	50	.25	50	135	200	TO-18
2N3505	PNP	400	200	60	60	115	300	50	.25	50	135	200	TO-18
2N3633	NPN	300	200	15	6.0	50	150	10	.21	3.0	—	1.3	TO-18
2N3671	PNP	600	200	60	50	75	225	150	.40	150	—	200	TO-5
2N3672	PNP	400	200	60	50	75	225	150	.40	150	—	200	TO-18
2N3700	NPN	500	200	140	80	100	300	150	.20	150	80	100	TO-18
2N3701	NPN	500	200	140	80	40	120	150	.20	150	30	80	TO-18
2N3724	NPN	800	200	50	30	60	150	100	.20	100	—	300	TO-5
2N3725	NPN	800	200	80	50	60	150	100	.26	100	—	300	TO-5
2N3725A	NPN	800	200	80	50	60	150	100	.28	100	—	300	TO-5
2N3839	NPN	300	200	30	15	30	150	3.0	—	—	50	1600	TO-72
2N4013	NPN	360	200	60	40	60	150	100	.25	10	—	300	TO-18
2N4014	NPN	360	200	80	50	60	150	100	.25	10	50	300	TO-18
2N4034	NPN	280	200	40	40	70	200	10	.13	1.0	50	400	TO-18
2N4104	NPN	1200	200	60	60	500	—	1.0	.30	1.0	500	90	TO-18
2N4419	NPN	600	150	30	12	30	—	10	.20	10	30	400	X-55
2N4888	PNP	800	150	150	150	40	400	10	.50	10	—	30	TO-105
2N4889	PNP	800	150	150	150	80	300	10	.50	10	—	40	TO-105
2N4996/92	NPN	250	150	30	18	50	—	2.0	—	—	—	600	TO-92
2N5179	NPN	300	175	20	12	25	250	3.0	.40	10	25	1400	TO-72
2N5830	NPN	350	150	120	120	80	500	25	.25	50	60	100	TO-92
2N5831	NPN	350	150	160	160	80	500	10	.25	50	60	100	TO-92
2N5832	NPN	350	150	160	160	175	500	10	.25	50	150	100	TO-92
2N5841	NPN	350	200	20	10	25	200	25	—	—	—	2.0	TO-72
2N5842	NPN	350	200	20	10	25	250	25	—	—	—	2.0	TO-72
2N5910	PNP	300	125	20	20	30	120	10	.50	50	—	700	TO-92
2N5998	NPN	600	125	35	25	150	300	10	.25	50	150	140	TO-98
2N5999	PNP	600	125	35	25	150	300	10	.25	50	150	140	TO-98
2N6000	NPN	800	125	35	25	40	—	300	.40	300	70	150	X-55
2N6001	PNP	800	125	35	25	35	—	300	.75	300	85	225	X-55
2N6002	NPN	800	125	35	25	80	—	300	.40	300	175	165	X-55
2N6003	PNP	800	125	35	25	50	—	300	.75	300	235	250	X-55
2N6004	NPN	800	125	50	40	40	—	300	.40	300	70	150	X-55
2N6005	PNP	800	125	50	40	35	—	300	.75	300	85	225	X-55
2N6006	NPN	800	125	50	40	80	—	300	.40	300	175	165	X-55
2N6007	PNP	800	125	50	40	50	—	300	.75	300	235	250	X-55
2N6010	NPN	625	150	50	40	45	—	800	.25	300	65	110	X-55
2N6011	PNP	625	150	50	40	45	—	800	.60	300	90	240	X-55
2N6012	NPN	625	150	50	40	50	—	800	.25	300	155	140	X-55
2N6013	PNP	625	150	50	40	70	—	800	.60	300	225	360	X-55
2N6014	NPN	625	150	70	60	15	—	800	.25	300	65	200	X-55
2N6015	PNP	625	150	70	60	35	—	800	.60	300	90	240	X-55
2N6016	NPN	625	150	70	60	15	—	800	.25	300	155	200	X-55
2N6017	PNP	625	150	70	60	55	—	800	.60	300	225	360	X-55
2N6304	NPN	200	200	30	15	25	250	2.0	—	—	25	1400	TO-72
2N6305	NPN	200	200	30	15	25	250	2.0	—	—	25	1200	TO-72
2N6521*	PNP	1800	200	60	60	10000	25000	150	1.5	150	—	175	TO-33
2N6522*	PNP	1800	200	40	40	20000	50000	150	1.5	150	—	175	TO-33
DTS-2000*	NPN	700	150	40	40	2000	—	600	1.8	600	—	—	TO-92
DTS-2001*	NPN	700	150	60	60	2000	—	600	1.8	600	—	—	TO-92
DTS-2002*	NPN	700	150	80	80	2000	—	600	1.8	600	—	—	TO-92
DTS-2003*	NPN	700	150	100	100	2000	—	600	1.8	600	—	—	TO-92
MM439	PNP	400	200	30	15	30	—	3.0	—	—	—	800	TO-72
MM1505	NPN	400	200	15	6.0	25	125	10	.38	30	30	600	TO-72
MM1613	NPN	800	200	60	40	50	—	20	.50	150	—	250	TO-5
MM1614	PNP	800	200	60	50	40	—	150	.50	150	—	200	TO-5
MM1711	NPN	800	200	60	30	100	—	150	.50	150	—	250	TO-5
MM1712	PNP	800	200	60	50	100	—	150	.50	150	—	200	TO-5

*DARLINGTON TRANSISTOR

This datasheet has been downloaded from:

www.DatasheetCatalog.com

Datasheets for electronic components.



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.