

MOS MEMORIES

PRODUCT	DESCRIPTION	MIL TEMP + BURN-IN	NFC 96883	MIL STD 883	CECC 90000
---------	-------------	-----------------------	-----------	-------------	------------

EPROM'S

ET2716	2 K×8	NMOS (450 ns)	■	■		
ETC2716	2 K×8	CMOS (450 ns)	■	■		
ETC2732	4 K×8	CMOS (450 ns)	■	■		
27C64	8 K×8	CMOS (250 ns)	■	■	■	□
27C256	32 K×8	CMOS (150, 200, 250 ns)	■	■	□	□
27C1024	64 K×8	CMOS (150 ns)	□		□	□
27C1001	128 K×8	CMOS (150 ns)	□		□	□
27C2001	256 K×8	CMOS (150 ns)	□		□	□
27C4001	512 K×8	CMOS (100 ns)	□		□	□
27C4002	256 K×16	CMOS (100 ns)	□		□	□

Above products are available in CERDIP with and without window, LCCC with and without window package.

■ Available. □ To be introduced.

This datasheet has been downloaded from:

www.DatasheetCatalog.com

Datasheets for electronic components.



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.