

Microsemi Corp.
The diode experts



**1N3643 thru 1N3647
1N4254 thru 1N4257
1N5181 thru 1N5184**

SANTA ANA, CA

For more information call:
(714) 979-8220

FEATURES

- MICROMINIATURE PACKAGE
- VOIDLESS HERMETICALLY SEALED GLASS PACKAGE
- TRIPLE LAYER PASSIVATION
- METALLURGICALLY BONDED
- LOWEST REVERSE LEAKAGE AVAILABLE
- LOWEST THERMAL RESISTANCE AVAILABLE
- MAXIMUM BREAKDOWN VOLTAGE PER DIE
- ABSOLUTE HIGH VOLTAGE / HIGH TEMPERATURE STABILITY
- MEET OR EXCEED REQUIREMENTS OF MIL-S-19500/389 (IN 5181 — IN 5184).
- 1N3644 THRU 1N3647 JAN, JANTX TYPES AVAILABLE PER MIL-S-19500/279

MAXIMUM RATINGS

Operating Temperature: -65°C to +175°C
Storage Temperature: -65°C to +175°C

ELECTRICAL CHARACTERISTICS

TYPE	WORKING PEAK REVERSE VOLTAGE V_{RWM}	AVERAGE RECTIFIED CURRENT I_0		FORWARD VOLTAGE (MAX.) V_F (SEE NOTES)	REVERSE CURRENT (MAX.) I_R @ V_{RWM}				SURGE CURRENT (MAX.)		
		VOLTS	mA		VOLTS	μA				AMPS	
			55°C			100°C	25°C	55°C			125°C
1N3643	1000	250	150	5.0(1)	5	—	—	—	14		
JAN 1N3644	1500	250	150	5.0(1)	5	—	—	—	14		
JAN 1N3645	2000	250	150	5.0(1)	5	—	—	—	14		
JAN 1N3646	2500	250	150	5.0(1)	5	—	—	—	14		
JAN 1N3647	3000	250	150	5.0(1)	5	—	—	—	14		
1N4254	1500	250	150	3.5(2)	1	—	20	—	10		
1N4255	2000	250	150	3.5(2)	1	—	20	—	10		
1N4256	2500	250	150	3.5(2)	1	—	20	—	10		
1N4257	3000	250	150	3.5(2)	1	—	20	—	10		
1N5181	4000	100	60	10(2)	—	5	—	1000	4		
1N5182	5000	100	60	10(2)	—	5	—	1000	4		
1N5183	7500	100	60	10(2)	—	5	—	1000	4		
1N5184	10,000	100	60	10(2)	—	5	—	1000	4		

NOTE 1: V_F @ 250mA

NOTE 2: V_F @ 100mA

HIGH VOLTAGE RECTIFIERS




FIGURE 1
Package S

MECHANICAL CHARACTERISTICS

CASE: Hermetically sealed hard glass.

LEAD MATERIAL: Tinned copper.

MARKING: Body painted, alpha numeric.

POLARITY: Cathode band.

1N3643 thru 1N3647
1N4254 thru 1N4257
1N5181 thru 1N5184




FIGURE 2
HVE/HVE 10-30/1N3643-47




FIGURE 3
HVE/HVE 40-100/1N5181-84

This datasheet has been downloaded from:

www.DatasheetCatalog.com

Datasheets for electronic components.



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.