


25C D ■ 8235605 0004556 4 ■ SIEG T-31-17
PNP Silicon Planar Transistor **BF 939**

SIEMENS AKTIENGESELLSCHAFT 4556 D _____

BF 939 is a PNP silicon RF planar transistor in TO 92 plastic package (DIN 41868). The transistor is particularly suitable for controllable VHF input stages in TV tuners.

Type	Ordering code
BF 939	Q62702-F 528



Approx. weight 0.25 g Dimensions in mm

Maximum ratings

Collector-emitter voltage	$-V_{CEO}$	30	V
Collector-base voltage	$-V_{CBO}$	30	V
Base-emitter voltage	$-V_{EBO}$	3	V
Collector current	$-I_C$	20	mA
Base current	$-I_B$	2	mA
Storage temperature range	T_{stg}	-55 to +150	°C
Junction temperature	T_j	150	°C
Total power dissipation ($T_{amb} = 60^\circ\text{C}$)	P_{tot}	350	mW

Thermal resistance

Junction to ambient air	R_{thJA}	<500	K/W
-------------------------	------------	------	-----

SIEMENS AKTIENGESELLSCHAFT

Static characteristics ($T_{amb} = 25^{\circ}\text{C}$)

$(-V_{CE} = 20\text{ V}; -V_{BE} = 0)$	$-I_{CES}$	< 100	nA
DC current gain $(-I_C = 2\text{ mA}; -V_{CE} = 10\text{ V})$ $(-I_C = 7\text{ mA}; -V_{CE} = 5\text{ V})$	h_{FE}	50 (> 30)	-
	h_{FE}	(> 10)	-

Dynamic characteristics ($T_{amb} = 25^{\circ}\text{C}$)

Transition frequency $(-I_C = 2\text{ mA}; -V_{CE} = 10\text{ V}; f = 100\text{ MHz})$	f_T	750	MHz
Reverse transfer capacitance $(-I_C = 1\text{ mA}; -V_{CE} = 10\text{ V})$	C_{12e}	0.63	pF
Noise figure $(-I_C = 2\text{ mA}; -V_{CE} = 10\text{ V};$ $f = 200\text{ MHz}; R_g = 60\ \Omega)$	NF	3	dB
Power gain $(-I_C = 2\text{ mA}; -V_{CE} = 10\text{ V}; f = 200\text{ MHz};$ $R_L = 1\text{ k}\Omega; R_g = 60\ \Omega)$	G_{pb}	16	dB
Control range of power gain $(-V_{CC} = 12\text{ V}; R_{CC} = 1\text{ k}\Omega; f = 200\text{ MHz};$ $I_C \leq 9\text{ mA})$	G_{pb}	> 35	dB
Min. interference voltage ¹⁾ $(f = 200\text{ MHz}; -I_C = 2\text{ mA})$	$V_{int\ 1\%}$	12	mV

1) $V_{int\ 1\%}$ is the rms value of half the EMF of a 100% sine modulated TV carrier with $R_g = 75\ \Omega$, which causes 1% AM on the useful carrier.



LittleDiode supplies new, hard to find or obsolete electronic components and semiconductors all over the world.

With over two million different components listed you are sure to find the part you need.

Feel free to visit us today at our online store:

LittleDiode.com

Looking forward to providing you with the best possible service.